2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Sample Buddi Pineapple Paradise

Lab ID:	BBL_7295	Matrix:	Beverage	Analyses Executed:	CAN
Company:	Visionary Beverage Co	Lot ID:	Buddi Pineapple Paradise	Reported:	05 Dec, 2024
Phone:		Received:	18 Nov, 2024		
Address:			- B		
Email:	jamie@hey-buddi.com		1. A.		

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.

Cannabinoid Profile Analysis

Analyzed 20 Nov, 2024 | Instrument HPLC-PDA | Method TM-101 Uncertainty Measurement at 95% confidence level is 10%, k=2


Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/mi	mg/pack
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	ND	ND
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	ND	ND
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	ND	ND
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	ND	ND
Cannabigerol (CBG)	0.080	0.230	ND	ND	ND	ND
Cannabidiol (CBD)	0.060	0.190	ND	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	ND	ND
Cannabinol (CBN)	0.040	0.120	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	ND	ND
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	0.0027	0.027	0.0278	9.869
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	ND	ND	ND	ND
Cannabicyclol (CBL)	0.210	0.640	ND	ND	ND	ND
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	ND	ND
Cannabichromene (CBC)	0.090	0.280	ND	ND	ND	ND
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			0.0027	0.027		
Total CBD (CBDa * 0.877 + CBD)			ND	ND		
Total CBG (CBGa * 0.877 + CBG)			ND	ND		
Total Cannabinoids			0.0027	0.027	0.0278	9.869

Volume: 355.0000 ml. Density: 1.0288



Bluebonnet Labs





NR Not Reportable ND Not Detected N/A Not Applicable NT Not Tested LOD Limit of Detection LOQ Detected >ULOL Above upper limit of linearity CFU/g Colony Forming Units per 1 gram TNTC Too Numerous to Count





Scan the QR code to verify authenticity

Authorized Signature

Thinh Ngo

Thinh Ngo Laboratory Director 05 Dec, 2024 05:30:25 PM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

ull, without the written approval of the lab. This report is for informational purposes o les and batches indicated. Results are reported on an "as received" basis, unless in

reproduced except in full, without the written approval of sults are only for samples and batches indicated. Results atory Quality Control) samples were included in the perfor prevent any disease. Results are a All required LQC (Laboratory Qual lyses and met the acceptance criteria for ISO/IEC Regulati

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

FVI - Filth & Foreign Matter Inspection Analysis

Analyzed 05 Dec, 2024 | Instrument Microscope | Method TM-108

Analyte Name	Result
> 1/4 of the total sample area covered by sand soil cinders or dirt	Negative
> 1/4 of the total sample area covered by mold	Negative
> 1 insect fragment 1 hair or 1 count mammalian excreta per 3g	Negative
> 1/4 of the total sample area covered by an imbedded foreign material	Negative

HME - Heavy Metals Detection Analysis

Analyzed 22 Nov, 2024 | Instrument ICP-MS | Method TM-105 Analysis Comment: Result '0' implies detection less than LOQ.

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Arsenic (As)	0.005	0.015	ND		
Cadmium (Cd)	0.005	0.016	ND		
Mercury (Hg)	0.004	0.013	ND		
Lead (Pb)	0.075	0.224	ND		

MIB - Microbial Testing Analysis

Analyzed 22 Nov, 2024 | Instrument PCR/ Plating | Method TM-109

Analyte	Limit (CFU/g)	Result CFU/g	Flag
Salmonella SPP		Neg	
Total Yeast & Mold		<10	
Aspergillus fumigatus		Neg	
Aspergillus flavus		Neg	
Aspergillus niger		Neg	
Aspergillus terreus		Neg	
Shiga toxin-producing Escherichia Coli		Neg	

MTO - Mycotoxin Testing Analysis

Analyzed 22 Nov, 2024 | Instrument LCMS-MS | Method Subcontracted

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/kg (ppb)	Flag	Limit ug/kg
Mycotoxin B1	0.000	0.010	N D		
Mycotoxin B2	0.010	0.030	N D		
Mycotoxin G1	0.010	0.020	N D		
Mycotoxin G2	0.010	0.040	N D		
Ochratoxin A	0.020	0.060	N D		
Total Mycotoxins			N D		

PES - Pesticides Screening Analysis

NR Not Reportable ND Not Detected N/A Not Applicable NT Not Tested LOD Limit of Detection LOQ Detected >ULOL Above upper limit of linearity CFU/g Colony Forming Units per 1 gram TNTC Too Numerous to Count





Scan the QR code to verify authenticity

Authorized Signature

Thinh Ngo

Thinh Ngo Laboratory Director 05 Dec, 2024 05:30:25 PM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diago prevent any disease. Results are only for samples and batches indicated. Results are reported on an "sa received" basis, unless indicated otherwise. All required LOC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Analyzed 22 Nov, 2024 | Instrument LCMS-MS | Method Subcontracted



Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
bamectin	0.110	0.330	N D		
cephate	0.230	0.700	N D		
cequinocyl	0.110	0.320	N D		
cetamiprid	0.020	0.050	N D		
ldicarb	0.020	0.050	N D		
zoxystrobin	0.020	0.060	N D		
ifenazate	0.010	0.030	N D		
ifenthrin	0.020	0.060	N D		
oscalid	0.060	0.170	N D		
arbaryl	0.010	0.040	N D		
arbofuran	0.010	0.020	N D		
hlorantraniliprole	0.010	0.030	N D		
hlorpyrifos	0.010	0.030	N D		
lofentezine	0.010	0.040	N D		
oumaphos	0.040	0.120	N D		
yfluthrin	2.320	7.020	N D		
		1.130			
ypermethrin aminozide	0.370	1.130	N D		
ichlorvos	0.050	0.140	N D		
imethoate	0.010	0.020	N D		
methomorph	0.010	0.030	N D		
hoprophos	0.020	0.050	N D		
ofenprox	0.010	0.040	N D		
toxazole	0.010	0.020	N D		
enhexamid	0.040	0.140	N D		
enoxycarb	0.020	0.060	N D		
enpyroximate	0.010	0.040	N D		
pronil	0.010	0.040	N D		
udioxinil	0.020	0.050	N D		
unicamide	0.010	0.030	N D		
exythiazox	0.010	0.020	N D		
nazalil	0.060	0.170	N D		
nidacloprid	0.040	0.110	N D		
resoxim-methyl	0.020	0.050	N D		
alathion	0.010	0.030	N D		
etalaxyl	0.010	0.020	N D		
ethiocarb	0.010	0.030	N D		
ethomyl	0.020	0.050	N D		
evinphos	0.060	0.180	N D		
yclobutanil	1.190	3.610	N D		
aled	0.030	0.080	N D		
xamyl	0.020	0.050	N D		
aclobutrazole	0.020	0.060	N D		
ermethrin	0.080	0.260	N D		
hosmet	0.010	0.030	N D		
peronyl butoxide	0.010	0.040	N D		
t: Not Reportable Not Detected A Not Applicable Not Tested D Limit of Detection Q Limit of Quantification OQ Detected					Authorized Signature hinh Ngo

LOQ Detected
ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count





verify authenticity.

C

Thinh Ngo Laboratory Director 05 Dec, 2024 05:30:25 PM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to dia prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. All required LOC (Laboratory Quality Control) samples were included in the performance of these analyses and me the acceptance criteria for ISO/EC Regulations.

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

* Bluebonnet Labs

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Prallethrin	0.100	0.300	N D		
Propiconazole	0.070	0.220	N D		
Propoxur	0.010	0.030	N D		
Pyrethrin-I	0.020	0.060	N D		
Pyridaben	0.010	0.020	N D		
Spinetoram	0.230	0.690	N D		
Spinosyn A	0.010	0.020	N D		
Spinosyn D	0.000	0.010	N D		
Spiromesifen	0.050	0.140	N D		
Spirotetramat	0.010	0.030	N D		
Spiroxamine	0.010	0.030	N D		
Tebuconazole	0.010	0.030	N D		
Thiachloprid	0.010	0.030	N D		
Methyl parathion	0.050	0.140	N D		
Thiamethoxam	0.010	0.040	N D		
Diazinon	0.010	0.040	N D		
Chlordane	0.740	2.250	N D		
Trifloxystrobin	0.010	0.030	N D		
Chlorfenapyr	0.830	2.530	N D		
Pentachloronitrobenzene	0.060	0.170	N D		





Scan the QR code to verify authenticity

Authorized Signature

Thinh Ngo

Thinh Ngo Laboratory Director 05 Dec, 2024 05:30:25 PM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to dia prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. All required LOC (Laboratory Quality Control) samples were included in the performance of these analyses and me the acceptance criteria for ISO/EC Regulations.

Certificate of Analysis Bluebonnet Labs

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

÷ Bluebonnet Labs

RES – Residual Solvent Analysis

Analyzed 22 Nov, 2024 | Instrument HS-GC/MS | Method TM-106

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Flag	Limit ug/g
Propane	0.470	1.410	N D		
Butane	0.200	0.610	N D		
Methanol	0.070	0.230	N D		
Pentane	0.130	0.410	N D		
Ethanol	0.130	0.380	N D		
Ethyl ether	0.020	0.070	N D		
Acetone	0.060	0.180	N D		
Isopropyl alcohol	0.030	0.090	N D		
Acetonitrile	0.020	0.060	N D		
Methylene chloride	0.010	0.020	N D		
Hexane	0.030	0.080	N D		
Ethyl acetate	0.030	0.080	N D		
Chloroform	0.010	0.030	N D		
Benzene	0.010	0.030	N D		
1 2-Dichloroethane	0.010	0.030	N D		
Heptane	0.020	0.060	N D		
Trichloroethene	0.010	0.030	N D		
Toluene	0.010	0.020	N D		
Isobutane	3.900	11.820	N D		
Ethyl benzene	1.700	5.160	N D		
m p-Xylenes	0.010	0.030	N D		
o-Xylene	0.010	0.020	N D		







Scan the QR code to verify authenticity

Authorized Signature

Thinh Ngo

Thinh Ngo Laboratory Director 05 Dec, 2024 05:30:25 PM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

*This report shall not be reproduced except in full, without the written approval of ti prevent any disease. Results are only for samples and batches indicated. Results All required LQC (Laboratory Quality Control) samples were included in the perform ull, without the written approval of the lab. This report is for informational purposes only and should not be used to dia les and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. amples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations